

Quotation

Quote #: QUO-13642-T0S0K2

Full Terms and Conditions Can Be Viewed [Here](#)

To:

DuPage County Sheriff's Office
Bilodeau, Dan
DuPage,
United States
Email: Dan.Bilodeau@DuPageSherrif.org

From:

Donaldson, Todd
E-mail: todd@intercompcompany.com
Phone: 763-404-3714

Summary

Shipping Method:	BEST WAY	Date:	November 02, 2023
Shipping Terms:	DEST	Valid Until:	November 30, 2023
Payment Terms:	CC	Estimated Lead Time (Days):	20

Items

Item ID	Item Description	Unit Price	Quantity	Ext. Amount
182041-RFX	LP600 WRLS SOLAR WHEEL LOAD 4 SCALE SYS (20KX10)	\$11,235.01	2	\$22,470.02

80,000X10LB (40,000X5KG)



Accuracy of ±1% of Reading | Fully Electronic using shear beam load cells | 15x22x1.5 inch (381x569x38mm) platform | 1"/25mm high LCD Display with auto back light | Hand Held Indicator Displays and Controls Scales, Totalizes Axles | RFX and RS232/485 output for communication between scales and remote devices such as CPU's & displays | Integrated solar charging practically eliminates the need to manually recharge batteries

Inclusions

4-20,000lb (10,000kg) wheel load scales with self Four Scale Interconnect-Totalizing Cable | 120/240VAC Universal Charging Transformer | MIL-SPEC 810D Transport/Storage Case for all Items.

Specifications

SCALE: Scale capacity of 0-20,000 lb with accuracy of ± 1% of reading or ± 10 lb, whichever is greater | Fully electronic design (non-hydraulic, non-mechanical) | Maximum platform size of 22.5Lx15Wx1.5H inches | Maximum weight of 45 lb | Rated IP67 or higher with operating temperature range of -28° C to 65° C | Must include wireless communication of up to 20 scales at a distance of up to 200 ft | Wireless radio embedded in scale with no antennas or external devices | Radios require no licenses and are pre-approved US/FCC, CAN/IC, EUR/CE | Scale must include integrated solar recharge of maximum of (4) AA NiMH commercially available batteries for continuous operation without need for manual recharging | When solar power not available, scales must operate for up to 250 hours on maximum of (4) AA Alkaline Batteries | NTEP Certified identifying scale as digital electronic with platform size and capacity conforming to these specifications including features for wireless communication and solar charging (Scale NTEP COC must be submitted with offer if bidding an equal or alternate) | MIL-SPEC 810D TRANSPORT/STORAGE CASE: padded compartments for each scale, indicator and cables | Aluminum or equivalent edges and recessed handles and lockable clasps

GSA CNT# GS-07F-078BA - Cage Code #7W667 - Duns# 089476055 Fed Tax ID# 411321109 - GOV Credit Cards Accepted – Intercomp is a Small Business

Freight Amount	\$0.00
Total	\$22,470.02

Terms and Conditions

This quotation does not reflect applicable taxes, customs fees, duties, freight charges, etc. which may apply to this order. Lead times are estimates only and subject to reconfirmation at time of order. Unless otherwise stated, this quotation and any sale resulting thereof incorporates Intercomp general Terms & Conditions of Sale dated 8/1/2010 which can be found at <http://www.intercompcompany.com/terms-and-conditions> or by request to Intercomp.

