



CIT TRUCKS - WOOD DALE (C263)
101 MITTEL DR
WOOD DALE, Illinois 60191

DUPAGE COUNTY
180 N COUNTY FARM RD
WHEATON, Illinois 60187
United States of America

Doug Evans
Cell Phone:
Office Phone: 815-639-2000
Email: devans@cittrucks.com

WILLIAM BELL
Email: william.bell@dupagecounty.gov

Sourcewell Contract #032824-KTC

Vehicle Summary

	Unit		Chassis	
Model:	T480 Series Conventional	Fr Axle Load (lbs):		20000
Type:	FULL TRUCK	Rr Axle Load (lbs):		40000
Description 1:	Plow trucks	G.C.W. (lbs):		80000
Description 2:				
	Application	Road Conditions:		
Intended Serv.:	Snowplow: Vehicles which are configured	Class A (Highway)		18
Commodity:	Gravel/Crushed Rock/Sand	Class B (Hwy/Mtn)		80
		Class C (Off-Hwy)		2
		Class D (Off-Road)		0
	Body	Maximum Grade:		6
Type:	End Dump	Wheelbase (in):		192
Length (ft):	18	Overhang (in):		79
Height (ft):	13	Fr Axle to BOC (in):		69.5
Max Laden Weight (lbs):	4000			
		Cab to Axle (in):		122.5
		Cab to EOF (in):		201.5
	Trailer	Overall Comb. Length (in):		335
No. of Trailer Axles:	0			
Type:				
Length (ft):	0	Special Req.		
Height (ft):	0	U.S. Domestic Registry, 50-state.		
Kingpin Inset (in):	0			
Corner Radius (in):	0			
	Restrictions			
Length (ft):	75			
Width (in):	102			
Height (ft):	13.5			

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.



Sales Code	Std/Opt	Description	\$ List	Weight
Model				
0000480	S	T480 Series Conventional	124,587	10,386
0071001	O	T480 Vocational Hood	0	0
0080101	O	CARB Low NOX Omnibus Registration Guidelines Dealer/Customer acknowledges that this vehicle is NOT intended for registration or domicile/primary use in the State of California.	0	0
0080314	O	EPA Clean Idle Label - PACCAR PX Engines	36	0
0090162	O	T480 Tandem	0	0
0098413	O	State of Registry: Illinois	0	0
Engine & Equipment				
0130224	O	PACCAR PX-9 360 360@1650 1150@1200, 2024 With Turbo Exhaust Brake (VGT Brake) N09420 C333 0.....Reserve Speed Limit Offset (N09380 C334 0.....Maximum Cycle Distance (C334 N09360 C400 252...Reserve Speed Function Reset N09200 C399 100...Standard Maximum Speed Limit N09400 C401 10....Maximum Active Distance (C40 N09220 C402 0.....Expiration Distance (C402) N09540 C395 0.....Expiration Distance (C395) N09260 C121 60....Max Vehicle Speed in Top Gea N09440 C234 NO....Engine Protection Shtdwn N09460 C231 NO....Gear Down Protection N09580 C133 5.....Idle Shtdwn Time N09680 C233 YES...Idle Shtdwn Override N09480 C132 1400..Max PTO Speed N09300 C128 60....Max Cruise Control Speed N09500 C239 NO....Cruise Control Auto Resume N09520 C238 NO....Auto Engine Brake in Cruise N09780 C190 80....High Ambient Temperature Thr N09740 C188 40....Low Ambient Temperature Thre N09760 C189 60....Intermediate Ambient Tempera N09720 C382 YES...Enable Hot Ambient Automatic N09600 C396 YES...Enable Impending Shutdown Wa N09620 C397 60....Timer For Impending Shutdown N09640 C206 35....Engine Load Threshold N09560 C225 NO....Enable Idle Shutdown Park Br	4,239	0
1000046	O	EPA Emissions Compliant Engine	0	0
1000151	S	PremierSpec	0	0
1000243	O	Gearing Analysis: Performance power before economy results.	0	0
1000251	O	Customer's Typical Operating Spd: 60 MPH	0	0

Price Level: August 1, 2025

100% Complete

Date: January 02, 2026

Deal: Plow trucks

Quote Number: QUO-1133310-G5C7T5

Printed On: 1/2/2026 9:22:33 AM

Sales Code	Std/Opt	Description	\$ List	Weight
1000344	O	EWI Tracking - A2 Engine Module Chassis	0	0
1000526		RegistrationYear Year of Registration: 2026	0	0
1000684		Effective VSL Setting NA	0	0
1000858	O	Engine Idle Shutdown Timer Disabled	0	0
1000891		Eff EIST NA Expiration Miles Use only with MX and Cummins engines	0	0
1002060	S	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	0	0
1041399	S	Air Cleaner: MD Composite Engine Mounted	0	0
1105230	O	Fan Hub: Horton 2-Speed for PX-9 or L9N or ISL	337	0
1121233	O	Cooling Module: 2.1M MD Vocation Hood 1000 Square Inches	755	10
1247263	O	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	1,247	0
1290136	O	Tailpipe: 5 in. single 36 in. 45 degree curved.	222	15
1321102	S	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	0	0
1321205	O	Run Aid:Fuel Heat *For Fuel Filter	41	0
1321305	O	Start Aid:12V Heat *For Fuel Filter	22	1
1504006	O	Block Heater: PACCAR 750 watt 120V for PX-7 and B6.7N. 1000 watt for PX-9 and ISL9 Engines.	26	2
1509058	O	Fuel Tank Heater: Single Arctic Fox W/ Thermostat	570	0
1816260	S	Alternator: PACCAR 160 amp, Brush Type	0	0
1821275	O	Batteries: 3 AGM GP31 THR (925) 2775 CCA. For T680, T880, or W990 in cab battery box only.	548	62
1836106	S	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	0	0
1840065	S	12V Low Voltage Disconnect for Battery Protection	0	0
1840066	O	Cab Power Cutoff SW on Cab Floor NFPA Compliant - Engine Shut off. Includes gauge.	350	2
1900996	O	Jump Start Terminals Under Hood.	86	0
1901018	S	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab	0	0

Price Level: August 1, 2025

100% Complete

Date: January 02, 2026

Deal: Plow trucks

Quote Number: QUO-1133310-G5C7T5

Printed On: 1/2/2026 9:22:33 AM

Sales Code	Std/Opt	Description	\$ List	Weight
		OR Back of Sleeper, J1939, Remote Control Provision		
Transmission & Clutch				
2011613	O	Transmission: Allison 3000RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	7,721	443
2406452	O	Driveline: 2 Dana SPL170XL 1 Centerbearing	442	16
2409941	S	One Heavy-Duty One-Piece Aluminum Crossmember This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	0	0
2410018	O	Torque Converter Included W/ Allison Transmission.	0	0
2410153	O	Push Button Shifter Controls, Center Console Mounted for Allison Transmission. 2.1m Medium Duty only.	0	0
2410204	O	Allison Fuel Sense: Delete	0	0
2410310	O	Allison Neutral at Stop	0	0
2429378	O	Customer Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.	42	0
2460069	O	Transmission Cooler: Automatic Transmission For use with 2.1M MD with Vocational Hood. Includes cooler protector.	1,257	38
Front Axle & Equipment				
2516006	O	Meritor MFS20 20K 3.74in. Drop Wide Track.	2,611	139
2607002	O	Front Brakes: 14,601-22K Bendix Air Disc Brakes.	335	10
2690025	O	Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.	501	0
2702020	O	Front Hubs Iron Hub Pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	288	80
2741970	S	ConMet PreSet Plus Hub Package; Front Axle.	0	0
2750001	S	Hubcap: Front Vented.	0	0
2769000	O	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	0	0
2865025	O	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	250	99
2895305	O	Dual Power Steering Gears: 18/20K	1,129	75

Sales Code	Std/Opt	Description	\$ List	Weight
2899336	O	Power Steering Cooler:Radiator Mounted Air-to-Oil	360	11
2900061	O	50 mm Front Suspension Spacer Block	0	0
Rear Axle & Equipment				
3124404	O	Dual Dana Spicer DSP41P Rear Axle rated at 40K. (DSP40P w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	8,959	2,009
3200617	O	Rear Axle Ratio - 6.17.	0	0
3306001	O	Dual Rear Bendix Air Disc Brakes for Dual rear axles to 46K capacity.	0	40
3392605	O	Splined Rotor for Dual Rear Air Disc Brakes for use with iron hubs.	3,212	-208
3403460	O	Dual Rear Hubs: Iron Hub Pilot 52K; 11.25" Bolt circle. Requires "R" series outer ends.	5	104
3441972	O	ConMet PreSet Plus Hub Package; Dual Rear Axle.	0	0
3465900	O	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	0	0
3485002	O	Spring Brakes Included W/ Dual Rear Air Disc brakes.	0	0
3495226	S	Bendix 4S/4M Anti-Lock Brake System.	0	0
3500057	O	Interaxle Driveline: 1 Dana SPL170XL Tandem Rear Axles Only	561	96
3732976	O	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 16.5 in. saddle height. With shocks. Unladen Height: 11.5 in. Laden Height: 9.5 in.	4,739	455
3832105	O	Hendrickson TRAAX Track Rods. Replaces Standard track rods for Hendrickson HAULMAAX EX suspensions rated below 46K.	115	0
Tires & Wheels				
4080029	O	Front tires: Continental HAU 3 WT 315/80R22.5 20PR	865	98
4280057	O	Rear tires: Continental HDR2+ 11R22.5 14PR	476	176
4900008	O	Rear Tire Quantity: 8	0	0
5042324	O	Front Wheel: Accuride 41730 22.5X9 aluminum	660	-20
5242338	O	Rear Wheel: Accuride 43644 22.5X8.25 aluminum hub pilot mount standard polish	2,260	-208
5900008	O	Rear Wheel/Rim Quantity: 8	0	0
Frame & Equipment				
6056400	O	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in.	496	382

Sales Code	Std/Opt	Description	\$ List	Weight
		to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.		
6302460	O	Bumper: Tapered Painted Steel Channel. Requires a bumper setting code.	601	65
6319064	O	64 in. Bumper Setting. Requires a Bumper Code.	0	0
6321010	S	Front Tow Loops: Two	0	0
6390034	O	24 in. Frame Rail Extensions. Vocational Hoods only.	356	36
6391203	O	Custom Frame Layout: 3-4 Chassis CFL A/T: mounted one under each rail front of rear suspension	375	0
6405000	O	In-Cab Steel Battery Box: under Rider Seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	1,354	0
6409906	O	In-Cab Battery Box Location: Under Rider Seat.	0	0
6451126	O	DPF/SCR Box Polished End Plates and Polished cover.	241	0
6490139	S	Heavy-Duty One-PC Aluminum Intermediate/ Fill-In crossmember.	0	0
6490433	S	Heavy-Duty 5-Piece Rear Cab Support, Hucked assembly. Huck fastened to frame.	0	0
6679862	O	Final End-of-Frame Cut-Off Dimension Will be modified to 66 in. to 74 in.	0	0
6721102	S	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	0	0
6722000	S	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	0	0
6742009	S	Square End-of-Frame W/O Crossmember; Non-Towing.	0	0
Fuel Tanks & Equip				
7140070	O	70 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	167	23
7722173	O	Large DEF Tank, 15 Gallons.	306	26
7840015	O	Polish Only One Aluminum Tank.	140	0
7889061	O	Polished Stainless Steel Tank Straps for 1 Tank.	89	0
7889208	O	DEF to fuel fill ratio between 1.25:1 and 2:1.	0	0

Sales Code	Std/Opt	Description	\$ List	Weight
7889614	S	DEF Tank Location is LH BOC. For 2.1M Medium-Duty	0	0
7920070	O	Location: 70 gal fuel tank LH under cab	0	0
Cab & Equipment				
8024311	S	Cab: Stamped Aluminum with Curved Windshield LED markers. Requires separate roof code.	0	0
8090153	O	Hood: Sloped Vocational w/ Stationary Grille w/ Chrome Crown	1,994	-24
8108011	S	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	0	0
8201047	O	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	143	0
8201200	S	Adjustable Telescoping Tilt Steering Column.	0	0
8203056	O	Unspecified Tumbler P/N. All Chassis Keyed Alike Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models, requires 2+ chassis. G key will not work on new P lock and ignition.	95	0
<i>Narr P</i>				
8203060	O	5 Sets of Keys. Replaces Standard 2 Sets of Keys.	34	0
8203196	O	Dash Mounted Compact Trailer Brake Valve. Self Returning.	0	0
8205177	O	Dash Switch:1st Allison-Mounted PTO. Electric switch and wiring are factory-installed to control the 1st Allison Trans mounted PTO.	167	0
8205283	O	Info for C/I PTO: Chelsea 10 Bolt	0	0
8222409	O	Gauge: DD Virtual Gauge - Air Filter Restriction	0	0
8222413	O	Gauge: DD Virtual Gauge - Manifold Pressure Boost	0	0
8222414	O	Gauge: DD Virtual Gauge - Engine Percent Torque	0	0
8222418	O	Gauge: DD Virtual Gauge - Engine Hours Instrument Cluster	0	0
8282024	S	Main Instrument Package: 7" Digital Display	0	0

Sales Code	Std/Opt	Description	\$ List	Weight
		Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.		
8330591	S	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	0	0
8410122	O	Driver Seat: KW Air Seat HB Vinyl w/ Dual Armrests/Susp Cover	200	0
8450101	O	Rider Seat: KW Battery Box Seat IB Vinyl w/o Armrests	-120	0
8496559	O	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	20	0
8601432	O	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	405	0
8698965	O	Speaker Package For Cab: (2) Speakers B-Pillar	60	0
8700196	S	Turn Signal: Self-Cancelling	0	0
8700283	S	LH and RH Trip Ledge Rain Deflectors	0	0
8700601	S	Global Telematics Unit	0	0
8800260	O	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust.	34	2
8800372	O	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	127	3
8800403	O	Dual Cab Interior Grabhandles:Yellow,A Pillar Mtd Dash Wrap and B Pillar Mounted Grabhandles	38	0
8832113	S	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	0	0
8841411	S	Single Air Horn Under Cab.	0	0
8850139	S	Look-Down, Pass. Door, Black 11x6	0	0
8850812	O	Mirror: LH Hood Mounted, Round Convex, Chrome	128	4
8850813	O	Mirror: RH Hood Mounted, Round Convex, Chrome	128	4
8850841	O	Mirror Shell: Dual Aero Chrome	137	0
8860852	O	Mirror: Dual KW Aero Rear View Motor, heated with Integral CX.	70	0
8871446	S	Rear Cab Stationary Window 19in x 36in	0	0

Sales Code	Std/Opt	Description	\$ List	Weight
8890101	S	One-Piece Bonded-In Windshield With Curved Glass. Standard.	0	0
8890356	O	4 1/4" Molded Wheelwell Fender Extension.	227	0
8890874	O	Kenworth Cab Air Suspension.	167	0
8891009	O	Thermal/Sound Insulation Package	270	0
8891011	O	Roof: Raised Profile, Stamped Aluminum w/ Additional Head Room & Interior Overhead Storage	337	0
Lights & Instruments				
9010814	O	Headlamps: LED low beam array, LED high beam, LED turn signal array, LED DRL/Park Lamp, LED side marker/side turn.	782	8
9010951	O	Daytime Running Lights Located in Bumper. Driven by Chassis Height.	303	3
9022130	O	Marker Lights: Five Rectangular LED. Chrome housing. For use with raised roof only. Required with exterior sunvisor.	65	0
9030052	S	LED Stop, Turn, Tail: With Two LED Backup Lights and With An LED License Plate.	0	0
9058071	O	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 1st Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	120	1
9059901	O	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	0	0
9070144	O	Additional 6ft Taillamp Harness: In Frame.	70	0
9080135	O	Stainless Steel Brackets, Switch & Wiring: Customer-installed dual beacon lights mounted over door of cab.	262	4
9090027	O	Headlamps to Turn on When Wipers are Active.	0	0
9090039	O	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	12	0
9090058	O	Switch & Wiring: For Customer-Installed Plow light. Includes circuit breaker.	158	0
9090151	O	Wiring: Cust. Install Trlr Elec. Brake Controller. Class 8/T4 Content Includes Dash Signals: Ignition Power (20A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To EOF Junction Box. These Signals Are Located Near The NavPlus HD Area. No Need To Code For An Additional End of Frame Junction Box. EOF Junction Box Signals Are: Ground, Tail Lamp, Marker Lamp, Left Turn, Right Turn, Stop Lamp and Electric Trailer Brake Controller Wired To Dash. Medium Duty (not T4) Content Includes A MP 280 Series Connector In Dash Near Driver Door Connections With Signals: Battery Power (40A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To Chassis Connector. Medium Duty (not T4) 2 Way Deutsch Chassis Connector Located Near Back of Cab, With Signals: Ground and Electric Trailer Brake Controller Wired To Dash Connector.	156	4

Price Level: August 1, 2025

100% Complete

Date: January 02, 2026

Deal: Plow trucks

Quote Number: QUO-1133310-G5C7T5

Printed On: 1/2/2026 9:22:33 AM

Sales Code	Std/Opt	Description	\$ List	Weight
9090180	O	Backup Alarm: Tail Light Bracket Mounted Variable self-adjusting 82-102 DBA.	135	0
9090301	O	Junction Box: Under Cab	153	1
9090849	O	Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.	42	0
Air Equipment				
9101219	O	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	31	0
9108001	S	Moisture Ejection Valve W/ Pull Cable Drain.	0	0
9110020	O	Full Truck Kit Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	963	15
9140020	S	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	0	0
9140252	O	Locate Air Dryer Inside LH Rail BOC. This code requires the use of a custom frame layout code.	0	0
9140289	O	Air Tanks: Mounted Inside Frame Flanges where possible. This code requires the use of a custom frame layout code.	0	0
9140328	O	Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).	0	0
9150170	O	Air Tanks: Aluminum Replacing Steel All Tanks. *Not air tanks on lift axles.	378	-44
Extended Warranty				
9200008	S	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	0	0
9200022	O	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	0	0
9210402	O	Allison 3000 Series Transmission Surcharge	700	0
9212661	O	TruckTech+ RD - 5YR Sub PACCAR PX Engines	799	0
9220001	O	Base Warranty: Emissions 5YR/100K MI	0	0
Miscellaneous				
9409852	O	GHG Secondary Manufacturer: Does Not Apply	0	0
9490206	O	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	58	4
9490404	O	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of driver seat. Class ABC.	136	11

Sales Code	Std/Opt	Description	\$ List	Weight
9490645	O	Zinc Phosphate Frame Rail Paint Processing. Requires frame rail code. Code is for 1 pair of rails.	314	0
9491652	S	EMUX Architecture	0	0
Promotions				
9511431	O	Model Year 2026 Engine	0	0
Paint				
9700000	O	Paint Color Number(s). N9702 A - L0006 WHITE N9770 BUMPER N0001 BLACK N9720 FRAME N0001 BLACK N9711 HOOD TOP Z9990 UNPUBLISHED PAINT	0	0
9943014	O	Steel Bumper Painted Frame Color	0	0
9943048	O	Day Cab Bulk Paint	0	0
9943052	O	Day Cab Pearl Metallic Paint	827	0
9944839	O	Spectrum Design - Hood Top Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	1,812	0
9960003	O	Non-Standard Paint Color. <i>Narr N1818(hood)</i>	295	0
9965510	S	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0	0

Special Requirements

Special Requirement 1 0098025
 Special Requirement 2
 Special Requirement 3
 Special Requirement 4

Fuel Efficiency Score:

Order Comments

Price Level: August 1, 2025

Deal: Plow trucks

Printed On: 1/2/2026 9:22:33 AM

100% Complete

Date: January 02, 2026

Quote Number: QUO-1133310-G5C7T5



Total List Price (W/O Freight & Warranty & Surcharges)	\$185,712
Marketing and Service Support Fee	\$1,555
Prepaid Freight	\$3,775
Total Surcharge/Options Not Subject To Discount	\$1,499
Total Weight (lbs)	14,459

Any price increase as the result of force majeure, rising costs of components (including but not limited to material shortages) or government tariffs are not included in the quoted price and will be the financial responsibility of the customer.

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information

OFFER TO PURCHASE



Date: 01/02/2026
 Deal: 29774
 Branch: 110
 Department: New Sales
 Salesperson: Doug Evans

Customer: Dupage County Division of Transportation
 180 N. County Farm Rd
 Wheaton, IL 60187, IL 60187

Dealer: CIT Trucks, LLC. - Wood Dale
 305 W. Northtown Rd.
 Suite A
 Normal, IL 61761

+SOLD UNITS(s)

Make: Kenworth	Year: 2027	Price: \$147,455.00
	Model: T480	

ADDITIONAL UNIT CHARGES

Title Fee

Price: \$165.00

ADDITIONAL UNIT CHARGES

Document Fee

Price: \$349.00

ADDITIONAL UNIT CHARGES

License Plate Fees

Price: \$8.00
 Unit Price: \$147,977.00

Subtotal: \$147,977.00

Difference: \$147,977.00
 \$0.00
 \$0.00
 \$0.00

Net: **\$147,977.00**

Balance Due: \$147,977.00

CIT Trucks is the authorized dealer using the Kenworth Sourcewell Contract #032824-KTC.

The quote is for a total of 4 units

If Kenworth changes the Price Page for trucks before these units are built, pricing will be updated following the sourcewell guidelines and Kenworths new pricing.

CIT can provide documentation if there are any changes.

Caluclation used to come up with pricing:

Step 1. \$185,712 list x .794(discount factor for T480)=\$147,206.01

Step 2. All add on costs like fuel, delivery, DOT inspection, licensing, title, doc fee, to be added with no more than a 5% markup.

Final cost \$147,977/unit

Terms and conditions of this offer are set forth at www.citrucks.com/terms which are incorporated herein by this reference. Purchaser agrees to all terms and conditions in this agreement.

General Manager Printed Name

Purchaser Printed Name

General Manager Signature

Purchaser Signature

OFFER TO PURCHASE



www.citrucks.com



Date: 01/02/2026
Deal: 29774
Branch: 110
Department: New Sales
Salesperson: Doug Evans

To receive electronic copies of your invoices and statements or for general account inquiries, email your request to customerservice@citrucks.com

Customer: Dupage County Division of Transportation
 180 N. County Farm Rd
 Wheaton, IL 60187, IL 60187

Dealer: CIT Trucks, LLC. - Wood Dale
 305 W. Northtown Rd.
 Suite A
 Normal, IL 61761

+SOLD UNITS(s)

Price:	\$589,820.00
Year: 2027	
Make: Kenworth	Model: T480

ADDITIONAL UNIT CHARGES

Title Fee

Price: \$660.00

ADDITIONAL UNIT CHARGES

Document Fee

Price: \$1,396.00

ADDITIONAL UNIT CHARGES

License Plate Fees

Price: \$32.00
 Unit Price: \$591,908.00

Subtotal: \$591,908.00

Difference: \$591,908.00
 \$0.00
 \$0.00
 \$0.00

Net: **\$591,908.00**

Balance Due:	\$591,908.00
---------------------	---------------------

CIT Trucks is the authorized dealer using the Kenworth Sourcwell Contract #032824-KTC.

The quote is for a total of 4 units

If Kenworth changes the Price Page for trucks before these units are built, pricing will be updated following the sourcwell guidelines and Kenworths new pricing.

CIT can provide documentation if there are any changes.

Calculation used to come up with pricing:

Step 1. \$185,712 list x .794(discount factor for T480)=\$147,206.01

Step 2. All add on costs like fuel, delivery, DOT inspection, licensing, title, doc fee, to be added with no more than a 5% markup.

Final cost \$147,977/unit.

Quote expires 4/30/26.

Terms and conditions of this offer are set forth at www.citrucks.com/terms which are incorporated herein by this reference. Purchaser agrees to all terms and conditions in this agreement.

General Manager Printed Name

Purchaser Printed Name

General Manager Signature

Purchaser Signature