

November 25, 2024  
Our 95th Year

**Ship To:**  
DUPAGE COUNTY DEPARTMENT OF TRANSPORTATION  
180 N COUNTY FARM RD  
WHEATON, IL 60187  
US

**Bill To:**  
DUPAGE COUNTY DEPARTMENT OF TRANSPORTATION  
180 N COUNTY FARM RD  
WHEATON, IL 60187  
United States

Attn: WILLIAM BELL  
Phone: 630-4076931  
Email: william.bell@dupagecounty.gov

**Altec Quotation Number:** 1593605 - 1  
**Account Manager:** Toni L Tribby  
**Technical Sales Rep:** Brennan Neill

Sourcewell Contract# 110421-ALT

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
<b><u>Unit &amp; Hydraulic Acc.</u></b>			
1.	Hydraulic Oil, HVI-22 (Standard)	5	
2.	Standard Pump For PTO	1	
3.	Hot Shift PTO (for Automatic Transmission)	1	
4.	Standard Altec PTO/Transmission Functionality with Park Brake Auto Neutral for Allison Automatic Transmissions: -Once the PTO switch is on, the Parking Brake is engaged, and the transmission is in a near stationary condition (i.e., below 5 mph) the transmission will be forced to neutral, and PTO will engage.	1	
5.	Additional Unit/Hydraulic Accessory  -Frame Mounted Reservoir -Suction Strainer, Return Line Filter -Sectional Control Valves and Plumbing	1	
<b><u>Body</u></b>			
6.	Altec Chip Dump Body 17.5 cubic yard capacity, Designed For Use With An L-Box, 96 inches wide x 72 inches high x 168 inches long with Curbside ladder box and single piece tailgate.  A. Structural Channel stringers and floor channel. B. 12 gauge minimum floor plate. C. 14 gauge minimum sides and front with full length die-formed reinforcing ribs. D. 14 gauge roof. E. 26-1/2 inches (673 mm) high tailgate, hinged Curbside with provision to hold open for dumping. F. 12 gauge minimum rear under body skirt panel. G. Class "E" hydraulic hoist, installed, with 45 degree dump angle and body prop. H. LED front and rear lighting package, 2.5 Inch Marker Lights, rubber grommet-	1	

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
	mounted, with wiring harness in automotive type loom.		
I.	Two (2) LED marker lights mounted in the upper front corners of the dump body.		
J.	Two (2) LED strobes mounted in the upper corners of the dump body.		
K.	Curbside built-in ladder compartment, T-Handle latches with lock cylinders, 12 inches wide x 25 inches high (305 x 635 mm) with wear pad and internal security chain.		
L.	Pole pruner compartment, 11 inches high (279.4 mm), above ladder compartment with dual shelves and rear locking door.		
M.	Interior of chip body finished with scratch and corrosion resistant liner		
N.	Underside of chip body undercoated.		
O.	Painted Altec White.		
7.	Altec L-66 Thru Box (96 inches wide x 66 inches long x 58 inches high) with curb and street side compartments with the following compartmentation:	1	
A.	Streetside: 1st compartment (24 inches long x 58 inches high x 20 inches deep) with three (3) transverse shelves and six locking swivel hooks (3-0-3 combination). Access to transverse compartment extending to back of curbside front compartment.		
B.	Streetside: 2nd compartment (42 inches long x 24 inches high x 20 inches deep) is ventilated.		
C.	Curbside: 1st compartment (24 inches long x 58 inches high x 20 inches deep) with three (3) transverse shelves and six locking swivel hooks (3-0-3 combination). Access to transverse compartment extending to back of streetside front compartment.		
D.	Curbside: 2nd compartment (42 inches long x 24 inches high x 20 inches deep) is ventilated.		
E.	Standard features: Bolt on door locks. Gas props on vertical doors. Chain support on drop-down doors. Door locks are three-point t-handle latches with lock cylinders. Finish paint interior compartments the same as exterior. Integrated locking system. Front master locking handle.		
F.	Automotive undercoating applied to entire underside of body.		
G.	Finish paint body Altec White at body manufacturer.		

**Body and Chassis Accessories**

8.	Set of Safety Chain D-Rings	1	
9.	Rigid Style Pintle Hitch (30,000 LB MGTW with 6,000 LB MVL), 4-Bolt Face Mount, Buyers PH15 (T-60 Style) - Hitch Only, Mounting to be Designed by Engineering	1	
10.	Underride Protection	1	
11.	Eyebolt for Trailer Breakaway Cable, 3/8 Inch	1	
12.	Driveaway Safety Kit	1	
13.	Wheel Chocks Rubber with Metal Hairpin Handle 9.75 L x 7.75 W x 5 H (Pair) (Industry Preferred)	1	
14.	Wheel Chock Holders (Pair), For Installation Under Flatbed Or Dump Body	1	
15.	Mud Flaps with Altec Logo (Pair)	1	
16.	Vinyl Manual Pouch for Storage of All Operator and Parts Manuals	1	

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
<b><u>Electrical Accessories</u></b>			
17.	Lights and reflectors in accordance with FMVSS #108 lighting package. (Complete LED, including LED reverse lights)	1	
18.	4-Corner Strobes, Amber, LED, Two (2) Surface Mounted Lights In Grille, Two (2) Round Lights At Rear, Class II (Permit May Be Required)	1	
19.	Strobe Lights Wired Battery Hot	1	
20.	Single Tone Backup Alarm, Installed between the chassis frame rails at the rear of the chassis. To work in conjunction with chassis reverse drive system.	1	
21.	Trailer Receptacle, 6-Way (Pin Type) Installed At Rear	1	
22.	Altec Standard Trailer Plug Wiring	1	
23.	Electric Trailer Brake Controller (Curt #51120)	1	
24.	Altec Modular Panel System (AMPS) - Includes Mounting Panel And Accessory Switches	1	
25.	Cab Mounted Indicator Light Option  970770797- Dump Body Out of Stow Indicator Light, Installed in Cab	1	
<b><u>Finishing Details</u></b>			
26.	Front and Rear Frame Mounted and Under Body Mounted Components (With the Exception of Rust Resistant Components) Will Be Painted Black DEPS 005 DEPS 095 (Includes Non OEM Front Bumpers and Cabguards)	1	
27.	Finish Paint Body Accessories Above Body Floor Altec White	1	
28.	Apply Non-Skid Coating (Black) to All Walking Surfaces DEPS 057	1	
29.	Safety and Instructional Decals English	1	
30.	Vehicle Height Placard Installed In Cab DEPS 002	1	
31.	HVI-22 Hydraulic Oil Placard	1	
32.	Focus Factory Build	1	
33.	Delivery Of Completed Unit	1	
34.	Inbound Freight	1	
35.	As Built Electrical and Hydraulic Schematics to be Included In the Manual Pouch (Deps 024)	1	
36.	Completed Test Forms To Be Included In The Manual Pouch: -Stability Test Form -Dielectric Test Form (For Insulated Units)	1	

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
37.	AF1472L	1	
	<u>Chassis</u>		
38.	Altec Supplied Chassis	1	
39.	Chassis	1	
40.	2024 Model Year	1	
41.	Freightliner M2-106	1	
42.	Dual Rear Wheel	1	
43.	Set Back Axle	1	
44.	4x2	1	
45.	Chassis Cab	1	
46.	Extended Cab (Larger Cab With Half-Length Rear Doors Or No Rear Doors)	1	
47.	Chassis Without Front Frame Extensions	1	
48.	No Air Horn	1	
49.	AM/FM Radio	1	
50.	Cruise Control	1	
51.	120 Clear CA (Round To Next Whole Number)	1	
52.	GVWR 25,999 LBS	1	
53.	12,000 LBS Front GAWR	1	
54.	21,000 LBS Rear GAWR	1	
55.	Spring Suspension	1	
56.	Cummins B6.7	1	
57.	Diesel	1	
58.	Allison 2500 RDS Automatic Transmission	1	
59.	204-215 Freightliner 50 Gallon Fuel Tank (Left Hand Under Cab)	1	
60.	23U-001, 43X-002 Freightliner 6 Gallon DEF Tank (Under Cab Left Hand)	1	
61.	016-1C3 - Freightliner Horizontal Exhaust (Right-Horizontal-Under Cab-Horizontal)	1	
62.	No CARB Clean Idle Certification Required	1	
63.	EPA Emissions	1	

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
64.	No Idle Engine Shut-Down Required	1	
65.	Hydraulic Brakes	1	
66.	Park Brake In Rear Wheels	1	
67.	Battery Under Cab Left Hand	1	
68.	Freightliner - Rear Cab Crossmember Flush With Back Of Cab (561-010)	1	
69.	Freightliner PTO Throttle Wiring for Automatic Transmission (163-004) (148-074) (87L-003)	1	
70.	Freightliner/Allison Body Builder Connection (34C-001)	1	
71.	No Prewire Chassis	1	
<b><u>Additional Pricing</u></b>			
72.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1	

Sourcewell Contract# 110421-ALT

<b>Unit / Body / Chassis Total</b>	<b>142,219.00</b>
<b>Additional Total</b>	<b>0.00</b>
<b>FET Total</b>	<b>0.00</b>
<b>Total</b>	<b>142,219.00</b>

**Altec Industries, Inc.**

BY \_\_\_\_\_

Brennan Neill

**Notes:**

1 Altec will make every effort to honor this quotation, subject to the following provisions. Prices for equipment with production start dates 12 months and beyond are budgetary only due to irregular cost inflation and market volatility. These prices will be reviewed based on market conditions and confirmed closer to the production date.

For a quoted chassis model year beyond the current open order bank, chassis model year, specifications and price should be considered estimates only and subject to change. Chassis model year, specifications and price will be reviewed and confirmed when specific model year information becomes available from the OEM.

2 Estimated Delivery: months after receipt of order PROVIDING:  
A. Customer supplied chassis (if applicable) is received a minimum of sixty (60) days before scheduled delivery.

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

- B. Customer approval drawings are returned by requested date.
- C. Customer supplied accessories are received by date necessary for compliance with scheduled delivery.
- D. Customer expectations are accurately captured prior to major components being ordered (body, chassis) and line set date. Unexpected additions or changes made after this time or at a customer inspection will delay the delivery of the vehicle.

Estimated Delivery is based on information at time of quote and is subject to change.

Altec reserves the right to change suppliers in order to meet customer delivery requirements, unless specifically identified, by the customer, during the quote and or ordering process.

3 This quotation is valid until DEC 26,2024. After this date, please contact Altec Industries, Inc. for a possible extension.

4 F.O.B. - #FOB\_TERMS#

5 Interest charge of 1/2% per month to be added for late payment.

6 FINANCING AVAILABLE: Please contact Altec Capital at (888) 408-8148 or email [finance@altec.com](mailto:finance@altec.com) for more information.

7 Price does not reflect any local, state or Federal Excise Taxes (F.E.T). The quote also does not reflect any local title or licensing fees. All appropriate taxes will be added to the final price in accordance with regulations in effect at time of invoicing.

8 Changes made to this order may affect whether or not this vehicle is subject to F.E.T. A review will be made at the time of invoicing and any applicable F.E.T. will be added to the invoice amount.

9 Any payment made by a credit card may be subject to a surcharge fee.

10 Altec Standard Warranty:

One (1) year parts warranty.

One (1) year labor warranty.

Ninety (90) days warranty for travel charges.

Warranty on structural integrity of the following major components is to be warranted for so long as the initial purchaser owns the product: Booms, boom articulation links, hydraulic cylinder structures, outrigger weldments, pedestals, subbases and turntables.

Altec is to supply a self-directed, computer based training (CBT) program. This program will provide basic instruction in the safe operation of this aerial device. This program will also include and explain ANSI and OSHA requirements related to the proper use and operation of this unit.

Altec offers its standard limited warranty with the Altec supplied components which make up the Altec Unit and its installation, but expressly disclaims any and all warranties, liabilities, and responsibilities, including any implied warranties of fitness for a particular purpose and merchantability, for any customer supplied parts

Altec designs and manufactures to applicable Federal Motor Vehicle Safety and DOT standards

11 Altec Extended Warranty Option:

An Altec Extended Warranty is an extension of Altec's Limited Warranty and protects you from the repair cost associated with defects of materials and workmanship after the standard Limited Warranty expires.

Altec offers many types of coverages and coverage packages. Ask your Altec account manager for details. Quotes are available upon request.

12 After the initial warranty period, Altec Industries, Inc. offers mobile service units, in-shop service and same day parts shipments on most parts from service locations nationwide at an additional competitive labor and parts rate. Call 877-GO-ALTEC for all of your Parts and Service needs.

13 Trade-in offer is conditional upon equipment being maintained to DOT (Department of Transportation) operating and safety standards and remaining in compliance of DOT until arrival at an Altec Facility. This will include, but is not limited to engine, tires, lights, brakes, glass, etc. All equipment, i.e., jibs, winches, pintle hooks, trailer connectors, etc., are to remain with unit unless otherwise agreed upon in writing by both parties. ALTEC Industries reserves the right to re-negotiate its trade-in offer if these conditions are not met.

All reasonable and necessary expenses required of ALTEC Industries to execute transportation of the trade-in will be invoiced to the customer for payment if these conditions are not met to maintain DOT standards.

Customer may exercise the option to rescind this agreement in writing within sixty (60) days after receipt of purchase order. After that time ALTEC Industries will expect receipt of trade-in vehicle upon delivery of new equipment as part of the terms of the purchase order unless other arrangements have been made.

14 The final fully loaded weight of the truck and structural ratings of the hitch assembly may reduce the towing capacity and the vertical load capacity of the finished truck. These capacities may not match the ratings of the chassis or hitch.

15 Altec takes pride in offering solutions that provide a safer work environment for our customers. In an effort to focus on safety, we would encourage you to consider the following items:

- Outrigger pads (When Applicable)
- Fall Protection System
- Fire extinguisher/DOT kit
- Platform Liner (When Applicable)
- Altec Sentry Training
- Wheel Chocks

The aforementioned equipment can be offered in our new equipment quotations. If you find that any of these items have not been listed as priced options with an item number in the body of your quotation and are required by your company, we would encourage you to contact your Altec Account Manager and have an updated quote version sent to you. These options must be listed with an item number in the quotation for them to be supplied by Altec.

16 Altec values your data privacy. The Altec Family of Companies (including Altec, Inc., and its subsidiaries) may collect telematics data from the equipment you own. Please review Altec's Equipment Data Privacy Notice on [www.altec.com](http://www.altec.com) for more information. By purchasing equipment from Altec, you consent to Altec's right to collect and use such data.

17 **RECOMMENDED OPTIONS AND ACCESSORIES:** These options are not included in the quote total price. Selected options will change the quote total. Any options added after initial order will be re-quoted.

Sourcewell Contract# 110421-ALT