## **Quotation/Offer**

#### Applicable taxes are not included.

Name	Price	QTY	Subtotal
Game Changer	\$8,000.00	1	\$8,000.00
Includes count analytics, vehicle classifications, speed data + use of Game Changer software with unlimited timing plan creation + near miss analytics			
+ 1 single battery w/ charger included (20 hours of data processing time)			
Full Battery Capacity Option w/ Case 1+7=8 total batteries equates to 160 hours of data processing time with hot swappable batteries	\$5,800.00	1	\$5,800.00
Data Collection Package: w/ 4g LTE Yearly fee for unlimited data collection and analysis with automatic 4g LTE data uploads	\$4,000.00	1	\$4,000.00
Comprehensive Warranty. Included. 2 Year Hardware, 1 Year Software, 1 Year Technical Support	\$0.00	1	\$0.00
Accessory Kit Case for all accessories, tools, locks, straps, & camera , etc.	\$350.00	1	\$350.00
Shipping and Handling	\$350.00	1	\$350.00

Signature: \_\_\_\_\_\_ Date: \_\_\_\_\_

\$18,500.00

Total



# **Game**|Changer

# Portable, Battery-Powered, Al Traffic Data Collector

**Proposal for** 

DuPage County, IL

Prepared for: Stephen Zulkowski

### From the desk of: Reggie Chandra.

Dear Mr. Stephen Zulkowski:

Thank you for your interest in Rhythm Engineering's traffic solutions.

Per your request, I am attaching a proposal for procuring an Al-powered, portable, battery powered, turning movement counting solution for DuPage County, IL. This solution is powered by artificial intelligence and helps you collect data round-the-clock. The system processes the data in the field and is capable of transmitting the data over a cellular modem to the cloud.

This proposal recommends **Game|Changer**, our advanced and portable data collection system, as the ideal solution to address your data collection challenges. The proposed solution is a battery-powered system designed to deliver precise, real-time insights into pedestrian, bicycle, and vehicle movements, empowering you to optimize traffic flow and enhance safety effectively. Game|Changer provides the comprehensive functionality, including:

- Automated Pedestrian and Bicycle Counts: Game|Changer captures accurate pedestrian and bicycle counts using a high-resolution 4 MP camera and edge-based video processing, enabling precise monitoring of multimodal traffic.
- Automated Turning Movement Counts: With its advanced video analysis capabilities, Game|Changer offers precise turning movement counts at intersections, allowing you to track vehicle movements and enhance intersection performance.
- **Vehicle Volume, Speed, and Classification**: Game|Changer can measure vehicle volume, speed, and classification data, delivering robust insights to support data-driven traffic management and safety improvements.

Additional key benefits of the **Game|Changer**, our proposed solution, include:

- Streamlined Setup and Scheduling: Designed for quick and intuitive deployment, the Game|Changer features a user-friendly configuration interface. Staff can specify operational days and times, allowing for targeted data collection with minimal time on-site. This simple setup process reduces labor costs and improves study efficiency.
- **Dependable Power and Portability**: Featuring a rechargeable battery system, **Game|Changer** offers extended operational periods with minimal recharging requirements. Its compact and durable design allows for deployment across multiple sites, making it adaptable for short- and long-term studies.

We believe that **Game|Changer**, our proposed solution, perfectly aligns with the DuPage County, IL's objectives in traffic management. This solution provides the precision necessary for high-quality data

and significantly saves time and cost, supporting your goals for safer and more efficient urban mobility.

The counts are collected in a database for seamless analysis and timing plan generation + near miss analytics coming in the fall of 2025.

I am looking forward to connecting with you soon.

Sincerely,

## Signature on file

Reggie Chandra, Ph.D., PE

Founder & CEO at Rhythm Engineering

email: reggie@rhythmtraffic.com


Phone: (775) 400-0216



# Game Changer

# UNLIMITED TRAFFIC DATA, UNBELIEVABLE VALUE

PORTABLE | POWERFUL | AFFORDABLE



# AI-POWERED TRAFFIC DATA COLLECTION & SIGNAL OPTIMIZATION

- Pedestrians, bicycles, vehicles with classification.
- Unlimited data, no hourly processing fees.
- **Real-time insights** for smarter traffic management.
- Extraordinarily Economical: Collect data around the clock for just pennies an hour.
- **Simplify your workflow** by eliminating manual video uploads and human counting.
- **Proven, award-winning technology** trusted by leading traffic professionals.



# Advanced Technology

#### AI TRAFFIC DATA COLLECTION MADE SIMPLE



- Effortless one-person field installation in under 7 minutes.
- Al edge-processing: Zero manual video uploads.
- Immediate cloud data transmission via cellular.
- Collects comprehensive data: vehicles, pedestrians, bicycles, classifications, and speeds.
- Collects, Processes, and Transmits data near-real-time.

#### **VERSATILE APPLICATIONS**



# Game-Changing Benefits

# UNLIMITED DATA COLLECTION, EXCEPTIONAL AFFORDABILITY



Unlimited, 24/7/365 data at an unbeatable \$0.39/hour.



Near-instant data availability for informed decisions.



Accurate pedestrian and bicycle counts to enhance safety and planning.



Over 30 interactive charts and deep analytics dashboards.



Seamlessly generate optimized traffic signal timing plans.



Extendable battery supports up to 100 hours of field analysis.



Time-of-day scheduling flexibility for targeted data insights.



Precise speed study capability for informed infrastructure decisions.

#### MASSIVE SAVINGS, MAXIMUM EFFICIENCY

- No costly hourly data processing fees.
- Dramatically reduced human resource requirements.
- Complete field processing reduces overall workflow complexity.
- Pays for itself after just one field deployment enjoy free counts for the rest of the year!

# Real Results, Real Savings



#### **INDUSTRY-ACCLAIMED SOLUTION**

Recognized as the "Best ITS Implementation Project" by ITS Arizona, 2022.



#### TRUSTED TESTIMONIALS



"It just makes it easier, because now you have real numbers to look at."

**Bruce Dressel, Arizona DOT** 



"Immediate results, impressive ease of use, unmatched support. Rhythm understands our needs."

Matt Schlacter, PE, Columbia County, GA



Any time you call them, they are there to help and guide you step-by-step.

Charles DeVitis, Upper Merion
Township, PA



Al technology helps move traffic better. Rhythm Engineering is leading the way in applying Al in traffic engineering.

Bill Henry, PE, Little Rock, AR

#### **ELEVATE YOUR TRAFFIC DATA STRATEGY**


REPLACE CUMBERSOME AND COSTLY METHODS—EXPERIENCE UNLIMITED DATA WITH UNBEATABLE AFFORDABILITY.

Discover how Al-Powered Game Changer can transform your operations today!

Game Changer

rhythmtraffic.com/gamechanger

Page 7 of 13



## **Quotation/Offer**

#### Applicable taxes are not included.

Name	Price	QTY	Subtotal
Game Changer	\$8,000.00	1	\$8,000.00
Includes count analytics, vehicle classifications, speed data + use of Game Changer software with unlimited timing plan creation + near miss analytics			
+ 1 single battery w/ charger included (20 hours of data processing time)			
Full Battery Capacity Option w/ Case 1+7=8 total batteries equates to 160 hours of data processing time with hot swappable batteries	\$5,800.00	1	\$5,800.00
Data Collection Package: w/ 4g LTE Yearly fee for unlimited data collection and analysis with automatic 4g LTE data uploads	\$4,000.00	1	\$4,000.00
Comprehensive Warranty. Included. 2 Year Hardware, 1 Year Software, 1 Year Technical Support	\$0.00	1	\$0.00
Accessory Kit Case for all accessories, tools, locks, straps, & camera , etc.	\$350.00	1	\$350.00
Shipping and Handling	\$350.00	1	\$350.00

Signature: \_\_\_\_\_\_ Date: \_\_\_\_\_

\$18,500.00

Total



# Game | Changer





Game|Changer
HARDWARE
SPECIFICATIONS

Version 1.0

### **Game**|Changer

Game|Changer is the most advanced Al-based data collection solution on the market and provides immediate results with a GPU at the edge and cellular connectivity.

#### **FEATURES**

- Collect unlimited traffic data year-round with a costeffective, flat annual license.
- Instant, automated uploads deliver real-time access to your data.
- Accurately detects and classifies pedestrians, bicycles, and vehicles.
- Perform detailed speed studies on intersections, arterials, freeways, and roundabouts.
- On-device Al processes video streams at the edge,

eliminating the need for external uploads.

- Supports up to five 12V 50Ah LiFePO<sub>4</sub> batteries for 100+ hours of field processing.
- Customizable study schedules maximize battery efficiency.
- Hot-swappable batteries enable continuous, uninterrupted data collection.
- Deep data analytics, rich data charting, and optimized timing plans.

#### **HARDWARE COMPONENTS**

#### **Included Components:**

- Extendable pole with network cable retractor and pole mount brackets
- Two lockable ratchet straps for pole mounting
- 4MP wide angle camera with sun-shield and M12 network cable
- Equipment case which houses:
  - > Two rechargeable 12V 50Ah LiFePO4 batteries
  - > 20A circuit breaker and switch
  - Advanced Al-based NVIDIA GPU and processing unit with cellular and Wi-Fi capabilities
  - > Industrial 5-port Gigabit PoE switch
  - > PoE Injector
- Padlocks for ratchet straps, case lid, and case mount
- Steel cable lock to prevent theft
- · Battery charger

#### **Spare Components Sold Separately:**

- Ratchet strap
- Padlock
- Battery charger
- 12V 50Ah LiFePO4 battery

#### **CAMERA**

Field of View: Horizontal - 130 deg., Vertical - 81 deg.

**Resolution:** 2688x1512 (16:9)

Video Compression: H.265, H.264, MJPEG

Illumination: Color - 0.18 lux, B/W - 0.04 lux or 0 lux with

IR on, Built-in IR illumination

Power: PoE IEEE 802.3af/at Type 1 Class 3, Typical 5 W,

Max 12.95 W

Material: Aluminum with plastic case and sunshield

Weight: 1.1 lb. (0.491 kg)

**Dimensions:** Length – 6.7 in. (170 mm), Diameter – 4.0 in.

(101 mm)

**Enclosure Rating: IP67, NEMA 4X, IK08** 

Environment: -30C to +74C operating temperature, -40C

to +65C storage temperature

#### **BATTERY AND POWER**

Capacity (ea.): 12V, 50Ah, 640 Wh LiFePO4 batteries

**Recharge Time from Full Depletion (ea.):** 10 hours (with 5A charger)

**Temperature Range:** Discharge – -20C to +55C, Charge – 0C to +55C

Size (ea.): 9.1 in L  $\times$  5.3 in W  $\times$  7.1 in H (232 mm  $\times$  135 mm  $\times$  181 mm)

Weight (ea.): 12.65 lbs (5.74 kg)

Active BMS Protection: Over-voltage, Under-voltage,

**Short Circuit** 

Charger: 12V 5A LiFePO4 charger included



#### AI-BASED GPU AND PROCESSING UNIT

Model: NVIDIA Orin Nano Super 8GB

**GPU: 1024-core NVIDIA Ampere GPU with 32 Tensor** 

Cores, 625 MHz

CPU: 6-core Arm Cortex-A78AE v8.2 64-bit CPU, 1.5MB

L2 + 4MB L3, 1.7 GHz

**Al Performance: 67 TOPS** 

Memory: 8 GB 128-bit LPDDR5, 102 GB/s

Storage: 128 GB industrial M.2 SSD

Power: 9-28 VDC, 7-15 W

Interfaces: 1x Gigabit Ethernet, 2x USB 3.1 Type-A, 1x

HDMI 2.0 letPack: 6.2

**Dimensions:** 4.3 in. x 5.1 in. x 2.4 in. (110 mm x 130 mm x

60 mm)

Weight: 1.7 lbs. (760g)

**Environment:** Operating Temperature - -25C to +85C,

Storage Temperature - -40C to +85C

#### **EQUIPMENT CASE**

**Materials:** Engineering Plastic

**Security:** 

Contains two short padlocks to prevent the case from being opened. One long padlock is used to secure the case to the mounting brackets of the pole and the steel cable which should be wrapped around the pole.

**Dimensions:** 19.1 in. x 15.0 in. x 12.2 in (484 mm x 382

mm x 310 mm)

Weight (empty): 9.3 lbs. (4.20 kg)

Weight (no batteries installed): 19.35 lbs (8.78 kg)

**Enclosure Rating: IP67** 

#### **POLE AND MOUNT**

Materials: Pole - black carbon fiber, Brackets - black

powder-coated aluminum

Dimensions: Pole (fully extended) - 21 ft 3 in. (6.57 m),

Pole (fully retracted) - 6 ft. (1.8 m)

Weight: 18.35 lbs (8.32 kg)

Ratchet Straps: 8 ft. L x 1.5 in. W (2.4 m x 38.1 mm);

includes small padlock for security

#### CONNECTIVITY

**Ethernet:** 5-port Gigabit PoE switch

Cellular: LTE, Verizon M2M/IoT

Wi-Fi (in/outbound): 802.11 a/b/g/n/ac, 2.4 and 5 GHz.

#### **ENVIRONMENT**

**Operating Temperature: -20C to +55C** 

Storage Temperature: -40C to +65C, (battery: 0C to

+55C)

**Humidity: 5% to 95% non-condensing** 

We trust that the information here is helpful and if you have any further questions or require further support please don't hesitate to reach out to us at:



support@rhythmtraffic.com



913.227.0603



rhythmtraffic.com/contact





We trust that the information here is helpful and if you have any further questions or require further support please don't hesitate to reach out to us at:



support@rhythmtraffic.com



913.674.9846



rhythmtraffic.com/contact

