

EXHIBIT C

DUPAGE COUNTY DIVISION OF TRANSPORTATION
Consultant Employee Rate Listing

CONSULTANT: Material Solutions Laboratory Corporation

PROJECT: Geneva Road Over West Branch DuPage River Bridge Replacement

Note: Maximum rate shall not exceed \$86.00 per hour.

Signature of Authorized Agent
for CONSULTANT:

Signature on file

Date:12/16/2025

Signature

Daniel Tiltges
Print Name

Approved By COUNTY:

Date: _____

William Eidson, Asst. County Engineer

Exhibit C Notes

1. The Classification represents a position within the CONSULTANT'S operation that is filled by one or more personnel that have similar duties and responsibilities.
2. This Exhibit should include all classifications that *might* be involved with the project. This avoids your resubmittal and the need to go through the approval process again.
3. Minimum rate is the lowest rate being paid to personnel for a particular classification (rounded down to nearest \$ amount).
4. Maximum rate is the top rate being paid to personnel for a particular classification taking into account employee raises within contract period (rounded up to nearest dollar amount).
5. Revisions to Exhibit C shall be limited to adjustments requested by the CONSULTANT to the hourly rate ranges and additions or deletions to position classifications approved by the COUNTY provided the adjustment(s) do not exceed the total compensation as stated in the AGREEMENT.