

A

B

C

D

E

F

G

FY26 Capital Management Plan Report

3/27/2026

	Systems/Equipment	PO Number	Replacement or Upgrade Year	Years in EQ Fund	Remaining Useful Life	Purchase Price
1	FY22 CPE ACDC	PO 922020	FY27	2	1	\$ 1,787,743
2	FY22 CPE DU-COMM	PO 922020	FY27	2	1	\$ 1,787,136
3	FY22 Radio Consoles	PO 922031	FY29	1	5	\$ 6,431,250
4	FY22 Logger	PO 922031	FY29	3	3	\$ 491,152
5	FY16 CAD (FY22 Renewed to FY27)	PO 950900	FY27	10	5	\$ 8,000,000
6	FY18 FSA System	PO 918126	FY29	6	0	\$ 4,553,320
7	CAD Workstations (72)	N/A	FY26	3	0	\$ 144,000
8	ACDC Generator	N/A	FY34	6	8	\$ 1,000,000
9	ACDC UPS	N/A	FY27	6	2	\$ 200,000
10	DU-COMM Generator	N/A	FY34	6	8	\$ 1,000,000
11	DU-COMM UPS	N/A	FY27	6	1	\$ 400,000
12	Radio Calibration Units	PO 924026	FY25	11	0	\$ 174,000
13	ExaGrid Enclosure	PO 921044	FY25	5	0	\$ 90,641
14	10 Digit Dial Phone System	PO 950905	FY26	8	0	\$ 163,281
15	All Switches (qty 15)	N/A	FY26	5	0	\$ 42,000
16	All Servers (qty 10)	N/A	ANNUAL		3	\$ 100,000
17	Wheaton Radio Tower Generator	N/A	FY25	14	0	\$ 50,000
18	Hidden Lakes Generator	PO926011	FY36	NEW	10	\$ 36,298
19	EMD Protocols	PO 950804	FY27	12	0	\$ 565,408
20	EFD Protocols	PO 950804	FY27	12	0	\$ 473,450
21	Total					\$ 27,489,679

This report details the items funded by 54199: Capital Contingency line item and their purchase price. The above chart does not include existing contractual obligations which will result in transfers from 54199.

Lines G12+G13+G16+G17	FY25	\$ 414,641
Lines G7+G14+G15+G16	FY26	\$ 499,281
Lines G1+G2+G5+G9+G11+G16+G19+G20	FY27	\$ 13,213,737
Lines G3+G4+G6+G16	FY29	\$ 11,575,722
Lines G8+G10+G16	FY34	\$ 2,100,000
Lines G16+G18	FY36	\$ 136,298

It should be noted that items contracted in one fiscal year may paid out in subsequent fiscal years or over several fiscal years depending on the contract, milestones, and implementation/acceptance.